



1. type ASS-1      A = 16-36-56      a = 45.10'  
                               B = 137-53-04      b = 105.77'  
                               C = 25-30-00      c = 67.90'
2. type AAS      A = 45-27-36      a = 618.87'  
                               B = 97-20-10      b = 861.16'  
                               C = 37-12-14      c = 525.00'
3. type ASA      A = 20-16-40      a = 40.40'  
                               B = 99-40-15      b = 114.91'  
                               C = 60-03-05      c = 101.00'
4. type ASS-1      A = 20-18-11      a = 511.60'  
                               B = 130-01-20      b = 1129.11' (.10)  
                               C = 29-40-29      c = 729.95'
5. type AAS      A = 17-30-19      a = 192.90'  
                               B = 116-43-50      b = 572.77'  
                               C = 45-45-51      c = 459.48'
6. type ASA      A = 42-37-13      a = 171.71'  
                               B = 106-42-37      b = 242.87'  
                               C = 30-40-10      c = 129.35'
7. type ASS-1      A = 22-21-27      a = 500.00'  
                               B = 121-24-23      b = 1121.89' (.88)  
                               C = 36-14-10      c = 777.00'
8. type AAS      A = 43-46-07      a = 1289.15'  
                               B = 106-33-34      b = 1786.32'  
                               C = 29-40-19      c = 922.55'



9. type ASA      A = 27-27-27      a = 422.43'  
                             B = 101-16-40      b = 898.47' (.46)  
                             C = 51-15-53      c = 714.65'
10. type ASS-1      A = 11-23-54      a = 363.91'  
                             B = 149-40-49      b = 929.57'  
                             C = 18-55-17      c = 597.10'
11. type AAS      A = 47-10-40      a = 311.64'  
                             B = 65-38-40      b = 387.07'  
                             C = 67-10-40      c = 391.62'
12. type ASA      A = 25-47-15      a = 243.66'  
                             B = 127-21-55      b = 445.15'  
                             C = 26-50-50      c = 252.95'
13. type ASS-1      A = 21-36-03      a = 174.00'  
                             B = 108-33-07      b = 448.09'  
                             C = 49-50-50      c = 361.26'
14. type AAS      A = 26-52-56      a = 23.55'  
                             B = 121-14-50      b = 44.53'  
                             C = 31-52-14      c = 27.50'
15. type ASA      A = 31-06-49      a = 297.24'  
                             B = 84-19-19      b = 572.41'  
                             C = 64-33-52      c = 519.47'
16. type ASS-1      A = 25-33-06      a = 76.50'  
                             B = 111-05-54      b = 165.47'  
                             C = 43-21-00      c = 121.75'



17. type AAS      A = 50-36-14      a = 222.99'  
                               B = 52-27-06      b = 228.78'  
                               C = 76-56-40      c = 281.10'
18. type ASA      A = 36-03-53      a = 356.90'  
                               B = 111-22-33      b = 564.55'  
                               C = 32-33-34      c = 326.27'
19. type ASS-1      A = 6-38-11      a = 463.40'  
                               B = 155-56-19      b = 1634.84'  
                               C = 17-25-30      c = 1200.75'
20. type AAS      A = 28-48-07      a = 746.53'  
                               B = 136-21-42      b = 1069.33'  
                               C = 14-50-11      c = 396.77'
21. type ASA      A = 33-33-06      a = 467.35'  
                               B = 72-50-36      b = 807.97'  
                               C = 73-36-18      c = 811.21'
22. type ASS-1      A = 33-54-22      a = 900.00'  
                               B = 84-52-13      b = 1606.92'  
                               C = 61-13-25      c = 1414.14'
23. type AAS      A = 72-11-59      a = 654.32'  
                               B = 26-30-51      b = 306.79'  
                               C = 81-17-10      c = 679.29'
24. type ASA      A = 35-09-09      a = 521.52'  
                               B = 99-59-24      b = 892.07'  
                               C = 44-51-27      c = 638.90'